

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	((application or client) near (call or request) near ((operating adj system) adj (mehtod or object or resource or call or function or
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search

Clear

Interrupt

Search History

DATE: Tuesday, March 02, 2004 [Printable Copy](#) [Create Case](#)

<u>Set Name</u>	<u>Query</u>	<u>Hit Count</u>	<u>Set Name</u> result set
side by side			
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L53</u>	4672570.pn.	1	<u>L53</u>
<u>L52</u>	5886694.pn.	1	<u>L52</u>
<u>L51</u>	5977966.pn.	1	<u>L51</u>
<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L50</u>	((application or client) near (call or request) near ((operating adj system) adj (mehtod or object or resource or call or function or request)))	30	<u>L50</u>
<u>L49</u>	((resource near version\$3) near (operating adj system))	0	<u>L49</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L48</u>	6173376.pn.	1	<u>L48</u>
<u>L47</u>	6016553.pn.	1	<u>L47</u>
<u>L46</u>	5797016.pn.	1	<u>L46</u>
<u>L45</u>	5325519.pn.	1	<u>L45</u>
<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L44</u>	((resource near version\$3) with ((operating adj system) with (object or resource or call or function or request)))	4	<u>L44</u>

<u>L43</u>	((resource near version\$3) near ((operating adj system) with (object or resource or call or function or request)))	0	<u>L43</u>
<u>L42</u>	((resource near version\$3) near ((operating adj system) near (object or resource or call or function or request)))	0	<u>L42</u>
<u>L41</u>	((resoruce near version\$3) with (operating adj system))	0	<u>L41</u>
<u>L40</u>	((resoruce near version\$3) near (operating adj system))	0	<u>L40</u>
<u>L39</u>	((resoruce near version\$3) near ((operating adj system) near (object or resource or call or function or request)))	0	<u>L39</u>
<u>L38</u>	((resoruce near version\$3) near ((operating adj system) adj (object or resource or call or function or request)))	0	<u>L38</u>
<u>L37</u>	((operating adj system) adj (object or resource or call or function or request)) near (handle or identifier))	15	<u>L37</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L36</u>	5987506.pn.	1	<u>L36</u>
<u>L35</u>	6023749.pn.	1	<u>L35</u>
<u>L34</u>	5129084.pn.	1	<u>L34</u>
<u>L33</u>	5129084.pn.	1	<u>L33</u>
<u>L32</u>	5752031.pn.	1	<u>L32</u>
<u>L31</u>	5771383.pn.	1	<u>L31</u>
<u>L30</u>	5774642.pn.	1	<u>L30</u>
<u>L29</u>	6023749.pn.	1	<u>L29</u>
<u>L28</u>	6023749.pn.	1	<u>L28</u>
<u>L27</u>	6075938.pn.	1	<u>L27</u>
<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>			
<u>L26</u>	l25 and l23	24	<u>L26</u>
<u>L25</u>	((operating adj system) near (resource or call or function or request)) near (remote or distributed or network))	76	<u>L25</u>
<u>L24</u>	l19 and L23	73	<u>L24</u>
<u>L23</u>	l20 or l21 or L22	18027	<u>L23</u>
<u>L22</u>	709/200-253.ccls.	14513	<u>L22</u>
<u>L21</u>	718/100-108.ccls.	2701	<u>L21</u>
<u>L20</u>	719/311-332.ccls.	2332	<u>L20</u>
<u>L19</u>	((operating adj system) with (resource or call or function or request)) near (remote or distributed or network))	165	<u>L19</u>
<u>L18</u>	((operating adj system) with (call or function or request)) near (remote or distributed or network))	61	<u>L18</u>
<u>L17</u>	(resource adj objects with ((operating adj system) with (call or function or request)))	1	<u>L17</u>
<u>L16</u>	(resource adj objects with ((operating adj system) near (call or function or request)))	1	<u>L16</u>
<u>L15</u>	(resource adj objects near ((operating adj system) near (call or function or request)))	0	<u>L15</u>
<u>L14</u>	(resource adj objects with ((opearting adj system) with (call or function or request)))	0	<u>L14</u>

<u>L13</u>	(resource adj objects with ((opearting adj system) near (call or function or request)))	0	<u>L13</u>
<u>L12</u>	(resource adj objects near ((opearting adj system) near (call or function or request)))	0	<u>L12</u>
<u>L11</u>	17 and L5	79	<u>L11</u>
<u>L10</u>	17 and L8	4	<u>L10</u>
<u>L9</u>	13 and L8	0	<u>L9</u>
<u>L8</u>	((object near (instantiat\$3 or creat\$3)) near (remote or network or distributed))	108	<u>L8</u>
<u>L7</u>	resource adj objects	863	<u>L7</u>
<u>L6</u>	12 and L5	13	<u>L6</u>
<u>L5</u>	system near (calls or requests)	23685	<u>L5</u>
<u>L4</u>	12 and L3	1	<u>L4</u>
<u>L3</u>	operating adj system near resources	493	<u>L3</u>
<u>L2</u>	((object near (instan\$6 or creat\$3)) near (remote or network or distributed))	156	<u>L2</u>
<u>L1</u>	((object near (instan\$6 or creat\$3)) with ((computer or machine) near (boundar\$3 or line)))	3	<u>L1</u>

END OF SEARCH HISTORY

Freeform Search

Database:	US Pre-Grant Publication Full-Text Database US Patents Full-Text Database US OCR Full-Text Database EPO Abstracts Database JPO Abstracts Database Derwent World Patents Index IBM Technical Disclosure Bulletins
Term:	162 and L63 <div style="float: right; text-align: right;"> <input type="button" value="Up"/> <input type="button" value="Down"/> <input type="button" value="Check"/> </div>
Display:	<input type="text" value="10"/> Documents in Display Format: <input type="text" value="-"/> Starting with Number <input type="text" value="1"/>
Generate: <input type="radio"/> Hit List <input checked="" type="radio"/> Hit Count <input type="radio"/> Side by Side <input type="radio"/> Image	

Search History

DATE: Tuesday, March 02, 2004
 [Printable Copy](#)
 [Create Case](#)

<u>Set</u> <u>Name</u> side by side	<u>Query</u>	<u>Hit</u> <u>Count</u>	<u>Set</u> <u>Name</u> result set
	<i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>		
<u>L64</u>	162 and L63	55	<u>L64</u>
<u>L63</u>	\$4object\$1oriented adj application	515	<u>L63</u>
<u>L62</u>	(\$4object\$1oriented near operating adj system)	444	<u>L62</u>
<u>L61</u>	(((procedure or function) near call) with (object\$1oriented with operating adj system))	19	<u>L61</u>
<u>L60</u>	(((procedure or function) near call) with (object\$1oriented near operating adj system))	0	<u>L60</u>
<u>L59</u>	(((procedure or function) near call) with(object\$1oriented near operating adj system))	0	<u>L59</u>
<u>L58</u>	(((procedure or function) adj call) with(object\$1oriented near operating adj system))	0	<u>L58</u>
<u>L57</u>	(((procedure or function) adj call) with(object\$1oriented adj operating adj system))	0	<u>L57</u>
<u>L56</u>	(((procedure or function) near call) near (object\$1oriented near operating adj system))	0	<u>L56</u>
	(((procedure or function) adj call) near (object\$1oriented near operating adj		

<u>L55</u>	system))	0	<u>L55</u>
<u>L54</u>	((procedure or function) adj call) near (object\$1oriented adj operating adj system))	0	<u>L54</u>
<u>L53</u>	6334157.pn.	2	<u>L53</u>
<u>L52</u>	spring adj operating adj system and (old or legacy) adj application <i>DB=PGPB; PLUR=YES; OP=OR</i>	4	<u>L52</u>
<u>L51</u>	spring adj operating adj system and (old or legacy) adj application	0	<u>L51</u>
<u>L50</u>	US-20030177285-A1.did. <i>DB=USPT; PLUR=YES; OP=OR</i>	1	<u>L50</u>
<u>L49</u>	5067072.pn.	1	<u>L49</u>
<u>L48</u>	5175854.pn.	1	<u>L48</u>
<u>L47</u>	5175854.pn.	1	<u>L47</u>
<u>L46</u>	5249293.pn.	1	<u>L46</u>
<u>L45</u>	5313578.pn.	1	<u>L45</u>
<u>L44</u>	5313578.pn.	1	<u>L44</u>
<u>L43</u>	5337412.pn.	1	<u>L43</u>
<u>L42</u>	5442791.pn.	1	<u>L42</u>
<u>L41</u>	5442791.pn.	1	<u>L41</u>
<u>L40</u>	5515508.pn.	1	<u>L40</u>
<u>L39</u>	5544316.pn.	1	<u>L39</u>
<u>L38</u>	5544316.pn.	1	<u>L38</u>
<u>L37</u>	5577252.pn.	1	<u>L37</u>
<u>L36</u>	5901313.pn.	1	<u>L36</u>
<u>L35</u>	5901313.pn.	1	<u>L35</u>
<u>L34</u>	5801701.pn.	1	<u>L34</u>
<u>L33</u>	5754176.pn.	1	<u>L33</u>
<u>L32</u>	5748927.pn.	1	<u>L32</u>
<u>L31</u>	5717877.pn.	1	<u>L31</u>
<u>L30</u>	5533183.pn.	1	<u>L30</u>
<u>L29</u>	5394521.pn.	1	<u>L29</u>
<u>L28</u>	5363121.pn.	1	<u>L28</u>
<u>L27</u>	5363121.pn.	1	<u>L27</u>
<u>L26</u>	5852731.pn.	1	<u>L26</u>
<u>L25</u>	5764973.pn. <i>DB=USPT,USOC,EPAB,JPAB,DWPI,TDBD; PLUR=YES; OP=OR</i>	1	<u>L25</u>
<u>L24</u>	l22 and L23	58	<u>L24</u>
<u>L23</u>	((operating adj system) near (objects or resources or method or function or call))	6606	<u>L23</u>
<u>L22</u>	object\$1oriented and L21	172	<u>L22</u>
<u>L21</u>	((legacy) near (application or operating adj system))	543	<u>L21</u>
<u>L20</u>	((legacy) with (operating adj system) with (remote or network or distributed))	33	<u>L20</u>

<u>L19</u>	((leagacy or old) with (operating adj system) with (remote or network or distributed))	12	<u>L19</u>
<u>L18</u>	((leagacy or old) with(object\$1oriented near (operating adj system)) with (remote or network or distributed))	0	<u>L18</u>
<u>L17</u>	((leagacy or old) near (object\$1oriented near (operating adj system)) with (remote or network or distributed))	0	<u>L17</u>
<u>L16</u>	((leagacy or old) near (application or program) near (object\$1oriented near (operating adj system)) with (remote or network or distributed))	0	<u>L16</u>
<u>L15</u>	((leagacy or old) adj (application or program) near (object\$1oriented near (operating adj system)) with (remote or network or distributed))	0	<u>L15</u>
<u>L14</u>	((leagacy or old) adj (applllication or program) with (object\$1oriented near (operating adj system)))	0	<u>L14</u>
<u>L13</u>	((leagacy or old) adj (applllication or program) with (object\$1oriented with (operating adj system)) with (remote or network or distributed))	0	<u>L13</u>
<u>L12</u>	((leagacy or old) adj (applllication or program) with (object\$1oriented near (operating adj system)) with (remote or network or distributed))	0	<u>L12</u>
<u>L11</u>	((leagacy or old) adj (applllication or program) near (object\$1oriented near (operating adj system)) with (remote or network or distributed))	0	<u>L11</u>
<u>L10</u>	(down\$1load\$3 with ((read or write or open or draw) adj objects))	6	<u>L10</u>
<u>L9</u>	(down\$1load\$3 with ((read or write or open or draw) near objects))	10	<u>L9</u>
<u>L8</u>	(down\$1load\$3 near ((read or write or open or draw) near objects))	0	<u>L8</u>
<u>L7</u>	(down\$1load\$3 near ((read or write or open or draw) adj objects))	0	<u>L7</u>
<u>L6</u>	(down\$1load\$3 with ((operating adj system) near (objects or resources or method or function or call)))	19	<u>L6</u>
<u>L5</u>	(down\$1load\$3 near ((operating adj system) near (objects or resources or method or function or call)))	1	<u>L5</u>
<u>L4</u>	(down\$1load\$3 near ((operating adj system) adj (objects or resources or method or function or call)))	1	<u>L4</u>
<i>DB=USPT; PLUR=YES; OP=OR</i>			
<u>L3</u>	5421015.pn.	1	<u>L3</u>
<u>L2</u>	5136712.pn.	1	<u>L2</u>
<u>L1</u>	5057996.pn.	1	<u>L1</u>

END OF SEARCH HISTORY